


ColorCote[®]
The right roof always lasts longer

MagnaFlow[™]

PRODUCT CATALOGUE

AUSTRALIAN MADE FOR AN AUSTRALIAN LIFESTYLE

Delta Panels Pty Ltd

P: +61 7 3271 2170

E: info@deltapanel.com

W: www.deltapanel.com

A: 2828 Ipswich Road, Darra, Qld. 4076

ABN: 11 147 861 292

Version Date: 28.10.2018




PRODUCT DETAILS

The DeltaMax™ range of products incorporates the MagnaFlow™ coating finish which is specifically formulated for use in corrosive environments. DeltaMax™ products have a steel substrate that provides greater corrosive resistance therefore ensuring a longer working life in demanding environmental conditions.

DeltaMax™ is now available in a full range of products that covers:- Wall Panels, Roof Panels, Beams and Receiver Channels. They are specifically designed to cater for the highly corrosive coastal regions that are nearby to the ocean, seaways and canals. It is also the appropriate product to use in severely corrosive industrial applications.

Site specific warranties of up to 25 years are available.

CATEGORY CLASSIFICATION



PRODUCT FEATURES

- DeltaMax™ Roof panels are available in - DeltaTrim™, DeltaOrb™ & Delta Corro/Corro™, with EPS-FR and PIR cores.
- DeltaMax™ Wall Panels available in - DeltaCool™ & DeltaSecretFix™ with EPS-FR, PIR and Mineral Wool cores.
- DeltaMax™ Beams are available in 150mm & 200mm only.
- DeltaMax™ Receiver Channels are available for 50mm, 75mm & 100mm insulated roofs.
- SurfMist only, with other colours on request.
- Warranty up to 25 years available.

Version Date: 28.10.2018



PRODUCT SPECIFICATIONS

DELTAMAX™ SPECIFICATIONS

STEEL SKIN DETAILS	TOP SKIN	BOTTOM SKIN
DELTATRIM™	0.40mm / G550 ZM275	0.55mm / G300 ZM275
DELTAORB™	0.40mm / G550 ZM275	0.55mm / G300 ZM275
DELTACORROCORRO™	0.40mm / G550 ZM275	0.40mm / G300 ZM275
DELTACOOL™	0.55mm / G300 ZM275	0.55mm / G300 ZM275
DELTABEAM™	1.0mm / G550 ZM275	
RECEIVER CHANNEL	1.0mm / G550 ZM275	
ISO CATEGORIES	3-5	
METALLIC COATING WEIGHT (GMS)	275	
EXAMPLE WARRANTY (SITE SPECIFIC)	ISO 4, CALM	
	Perforation	25 Years
	Flake / Peel	20 Years
	Excessive Fade	20 Years

Version Date: 28.10.2018

PRODUCT RANGE



Colorcote® and Magnaflow™ are both trademarks of Fletcher Steel Ltd.

Colorcote® imagery and graphics are copyright and intellectual property of Fletcher Building Limited

DeltaMax™, DeltaTrim™, DeltaOrb™, DeltaCorro/Corro™ & DeltaBeams™ are all trademarks of Delta Panels Pty Ltd

ONGOING MAINTENANCE

To minimise the onset of corrosion on products installed in sheltered areas, or in areas unwashed by natural rainfall must be washed down every six months.

Delta Panels Pty Ltd is committed to an ongoing programme of product research and development and reserves the right to update and amend information without prior notice. Reasonable care has been taken to ensure that all published information is correct and accurately reflects the properties of our products and their design applications at the time of publication. However these are a general guide only, it is the customers responsibility to ensure that all products and their stated applications are fit for purpose and complies with all relevant statutory requirements.

Version Date: 28.10.2018